

Udbytte

hkg/ha korrigeret til 85% tørstof

Led	Sortskode	Sort	NS Abildgård	Tystofte	Koldkærgård	GNS/AVG	ifht/rel
			Antal fs:		3	3	
1	9040	Blanding	97.6	102.5	75.6	91.9	100
2	21228	Dominik	97.2	89.3	75.3	87.3	95
3	26720	Symphony	99.4	98.0	78.6	92.0	100
4	31038	Nemesis	101.7	90.9	76.7	89.8	98
5	32025	Lion AV	91.3	96.8	69.1	85.7	93
6	32043	Caddy	96.1	97.0	81.1	91.4	99
7	33605	Magellan AA	101.1	97.6	77.3	92.0	100
8	34442	Scotty	94.6	106.8	74.1	91.8	100
9	35413	Fritz	100.7	95.2	72.4	89.4	97
10	35455	Jacky	92.2	107.5	73.1	90.9	99
11	35968	RGT Skara	99.1	97.8	77.3	91.4	99
12	36049	NOS Conrad	100.0	99.9	80.3	93.4	102
13	36833	NOS 81919-10	100.3	100.2	77.4	92.6	101
14	37907	BOR 20029	101.7	95.6	79.2	92.2	100
15	38008	NOS 81913-11	96.4	105.7	74.0	92.0	100
16	38009	NOS 81930-02	96.0	97.1	77.7	90.3	98
17	38012	Caledon	99.1	109.0	71.6	93.2	101
18	39087	NORD 24/1415HA	98.8	95.1	75.4	89.8	98
19	39129	Waran	99.3	100.3	73.6	91.1	99
20	39130	Hanstad	97.9	97.7	81.7	92.4	101
21	39192	NOS 82003-16	100.8	89.7	76.1	88.9	97
22	9070	Gns af sorter på Sortslisten	99.7	99.0	79.5	92.7	101
9991	99991	LSD 0.05	5.0	3.9	3.8	2.5	3
9992	99992	GNS UDBYTT	98.2	98.6	76.1		

Observationsparceller

Sygdom bedømt, pct dækning Sygdomme skala 1,-9

Bladplet		Meldug	
9	13	9	13
3,8	10,0	6,0	6,0
2,3	12,0	4,0	6,0
3,1	12,0	5,0	6,0
2,7	17,0	5,0	7,0
3,1	18,0	5,0	7,0
3,7	15,0	6,0	7,0
3,0	10,0	5,0	6,0
3,9	0,0	6,0	1,0
3,7	11,0	6,0	6,0
3,9	0,0	6,0	1,0
2,9	8,0	5,0	6,0
2,1	10,0	4,0	6,0
4,9	7,0	7,0	5,0
2,2	15,0	4,0	7,0
4,1	0,0	6,0	1,0
3,1	12,0	5,0	6,0
3,4	0,0	6,0	1,0
1,8	13,0	3,0	7,0
2,5	12,0	4,0	6,0
2,2	15,0	4,0	7,0
3,2	14,0	5,0	7,0
2,6	11,0	5,0	6,0

Dyrkningsegenskaber

Nedknækning strå, 0-10		Nedknækning strå, 1-9		Strå længde, cm	Skridning dato
1	1	6	5		
9,0	9,0	111	4/6		
9,0	9,0	95	3/6		
9,0	9,0	111	4/6		
8,0	8,0	101	5/6		
9,0	9,0	104	3/6		
9,0	9,0	105	4/6		
8,0	8,0	107	3/6		
9,0	9,0	114	4/6		
10,0	9,0	93	2/6		
7,0	7,0	106	4/6		
9,0	9,0	102	3/6		
9,0	9,0	106	6/6		
9,0	9,0	104	3/6		
9,0	9,0	108	6/6		
7,0	7,0	106	3/6		
8,0	8,0	107	5/6		
8,0	8,0	105	1/6		
7,0	7,0	103	4/6		
9,0	9,0	109	3/6		
9,0	9,0	108	5/6		
8,0	8,0	107	4/6		
9,0	9,0	109	5/6		

Udbytteforsøg

Kvalitetsegenskaber

Kornvægt, g/1000 kerner		Rumvægt kg/hl	Protein, pct
2	3	3	
37.4	54.1	10.4	
33.0	52.7	11.2	
39.8	53.8	10.2	
39.5	53.6	10.7	
35.3	53.9	10.9	
32.5	54.4	10.5	
36.9	54.6	9.9	
35.4	53.7	10.6	
38.2	54.4	10.3	
38.2	55.1	10.2	
32.1	54.2	10.7	
38.1	51.9	10.1	
34.7	51.1	10.3	
34.6	54.5	9.6	
40.9	54.9	10.4	
34.7	52.2	9.9	
35.0	54.2	10.5	
32.5	53.8	10.7	
32.1	52.7	10.6	
36.2	54.3	10.4	
38.4	53.5	10.6	
38.9	52.8	10.1	

Sejet er kasseret pgra uens plantebestand efter etablering

Udbytte i hkg/ha korrigeret til 85 % tørstof

NS Abildgård		Tystofte		Koldkærgård		Gns/AVG		rk-flge
104	Nemesis	106	Caledon	108	Hanstad	102	NOS Conrad	1
104	BOR 20029	105	Jacky	107	Caddy	101	Caledon	2
104	Magellan AA	104	Scotty	106	NOS Conrad	101	Gns af sorter	3
103	NOS 82003-16	103	NOS 81913-11	105	Gns af sorter	101	NOS 81919-10	4
103	Fritz	102.5	Blanding	105	BOR 20029	101	Hanstad	5
103	NOS 81919-10	98	Waran	104	Symphony	100	BOR 20029	6
102	NOS Conrad	98	NOS 81919-10	103	NOS 81930-02	100	NOS 81913-11	7
132	Gns af sorter	97	NOS Conrad	102	NOS 81919-10	100	Symphony	8
102	Symphony	131	Gns af sorter	102	Magellan AA	100	Magellan AA	9
102	Waran	96	Symphony	102	RGT Skara	91.9	Blanding	10
102	RGT Skara	95	RGT Skara	101	Nemesis	100	Scotty	11
102	Caledon	95	Hanstad	101	NOS 82003-16	99	RGT Skara	12
101	NORD 24/1415HA	95	Magellan AA	75.6	Blanding	99	Caddy	13
100	Hanstad	95	NOS 81930-02	100	NORD 24/1415HA	99	Waran	14
97.6	Blanding	95	Caddy	100	Dominik	99	Jacky	15
100	Dominik	94	Lion AV	98	Scotty	98	NOS 81930-02	16
99	NOS 81913-11	93	BOR 20029	98	NOS 81913-11	98	Nemesis	17
98	Caddy	93	Fritz	97	Waran	98	NORD 24/1415HA	18
98	NOS 81930-02	93	NORD 24/1415HA	97	Jacky	97	Fritz	19
97	Scotty	89	Nemesis	96	Fritz	97	NOS 82003-16	20
94	Jacky	88	NOS 82003-16	95	Caledon	95	Dominik	21
94	Lion AV	87	Dominik	91	Lion AV	93	Lion AV	22
7	LSD 0.05	5	LSD 0.05	5	LSD 0.05	3	LSD 0.05	

Translations

Afgrødehøjde	<i>Crop height</i>	Standardkvalitet	<i>Standard quality</i>
Blomstring	<i>Flowering</i>	Stivelsesindhold	<i>Starch content</i>
Blødgøring	<i>Softening</i>	Strå længde, cm	<i>Straw length</i>
Brunrust	<i>Brown rust (Puccinia recondita)</i>	Udbytte	<i>Yield</i>
Brødhøjde	<i>Bread height</i>	Vandoptagelse	<i>Water absorption</i>
Brødvolumen	<i>Bread volume</i>		
Bygrust	<i>Barley Rust (Puccinia hordei)</i>		
Dyrkningsegenskaber	<i>Agronomic traits</i>		
EFOSi	<i>Enzyme digestible organic matter at ileum</i>		
EFOSsvin	<i>Enzyme digestible organic matter in pigs</i>		
Erucasyre	<i>Erucic acid</i>		
FEso pr. hkg	<i>Feed units, adult pigs</i>		
FEsv pr. hkg	<i>Feed units, growing pigs</i>		
fht	<i>Index</i>		
Faldtal	<i>Falling number</i>		
Foderkvalitet	<i>Feed quality</i>		
Frøkvalitet	<i>Seed quality</i>		
Frøvægt	<i>Seed weight</i>		
Glucosinolatindhold	<i>Glucosinolate content</i>		
Gluten i kerner (14% vand)	<i>Gluten content in grains at 14 % water</i>		
Gns.	<i>Average</i>		
Gråplet/brunplet	<i>Septoria tritici/Stagonospora nodorum</i>		
Gulrust	<i>Yellow rust (Puccinia striiformis)</i>		
hkg/ha korrigeret til 85 % tørstof	<i>hkg/ha adjusted to 85% dry matter</i>		
Hvedebladplet	<i>Tan spot, DTR (Pyrenophora tritici-repentis)</i>		
Karakter	<i>Score</i>		
Kernekvalitet	<i>Grain quality</i>		
Klæbrighed	<i>Stickyness</i>		
Kornvægt, mg pr. korn	<i>Thousand kernel weight (mg/kg)</i>		
Kvalitetsegenskaber	<i>Quality traits</i>		
Led	<i>Entry</i>		
Lejesæd	<i>Lodging</i>		
Linolénysyre	<i>Linolenic acid</i>		
Linolsyre	<i>Linoleic acid</i>		
Meldug	<i>Mildew (Erysiphe graminis)</i>		
Meludbytte	<i>Flour yield</i>		
Modning, dato	<i>Ripeningdate</i>		
Nedknækning, aks	<i>Necking</i>		
Nedknækning, strå	<i>Brackling</i>		
Observations-parceller	<i>Observation-plots</i>		
Olieindhold	<i>Oil content</i>		
Oliesyre	<i>Oleic acid</i>		
Plantehøjde	<i>Plant height</i>		
Proteinindhold, pct.	<i>Protein content</i>		
Ramularia	<i>Ramularia (Ramularia collo-cygni)</i>		
Rumvægt, g pr. liter	<i>Specific weight</i>		
Sedimentation	<i>Zeleny sedimentation value</i>		
Skala	<i>Scale</i>		
Skoldplet	<i>Leaf Blotch (Rhynchosporium secalis)</i>		
Sort	<i>Variety</i>		
Sort., pct. kerner > 2,5 mm	<i>Grading, pct. kernels > 2.5 mm</i>		
Sort., pct. kerner > 2,8 mm	<i>Grading, pct. kernels > 2.8 mm</i>		
Sortskode	<i>Variety code</i>		
Stabilitet	<i>Stability</i>		